



APIMET

CUBIERTAS AUTOPORTANTES

PERFIL / PROFILE / PROFIL AP 250



DIMENSIONES / Dimensions / Dimensions



CARACTERÍSTICAS MECÁNICAS / Mechanical features / Caractéristiques mécaniques

Acero Steel Acier	Thickness Épaisseur	Area Région	Weight Poids	Iz (cm ⁴ /m)	Iy (cm ⁴ /m)	Vy (cm)	Vpy (cm)	Wyinf (cm ³ /m)	Wysup (cm ³ /m)	Mrd (KNm/m)	Nrd (KN/m)
S250	0,80	12,79	10,04	7.988,18	1.016,14	10,20	14,85	99,67	68,42	17,11	319,68
	0,90	14,39	11,30	8.986,71	1.143,16	10,20	14,85	112,13	76,98	19,24	359,63
	1,00	15,98	12,56	9.985,24	1.270,18	10,20	14,85	124,59	85,53	21,38	399,62
	1,25	19,98	15,69	12.481,54	1.587,73	10,20	14,85	155,74	106,91	26,73	499,53
	1,50	23,98	18,83	14.977,86	1.905,28	10,20	14,85	186,88	128,29	32,07	599,40
S280	0,80	12,79	10,04	7.988,18	1.016,14	10,20	14,85	99,67	68,42	19,16	358,04
	0,90	14,39	11,30	8.986,71	1.143,16	10,20	14,85	112,13	76,98	21,55	402,79
	1,00	15,98	12,56	9.985,24	1.270,18	10,20	14,85	124,59	85,53	23,95	447,58
	1,25	19,98	15,69	12.481,54	1.587,73	10,20	14,85	155,74	106,91	29,93	559,47
	1,50	23,98	18,83	14.977,86	1.905,28	10,20	14,85	186,88	128,29	35,92	671,33
S320	0,80	12,79	10,04	7.988,18	1.016,14	10,20	14,85	99,67	68,42	21,90	409,19
	0,90	14,39	11,30	8.986,71	1.143,16	10,20	14,85	112,13	76,98	24,63	460,33
	1,00	15,98	12,56	9.985,24	1.270,18	10,20	14,85	124,59	85,53	27,37	511,52
	1,25	19,98	15,69	12.481,54	1.587,73	10,20	14,85	155,74	106,91	34,21	639,40
	1,50	23,98	18,83	14.977,86	1.905,28	10,20	14,85	186,88	128,29	41,05	767,23