



APIMET

CUBIERTAS AUTOPORTANTES

PERFIL I PROFILE I PROFILAP 250
MICROPERFORADO PARCIALMENTE R5T8



DIMENSIONES / Dimensions / Dimensions



CARACTERÍSTICAS MECÁNICAS / Mechanical features / Caractéristiques mécaniques

Acero Steel Acier	Espesor Thickness Épaisseur (mm)	Área Area Région (cm ² /m)	Peso Weight Poids (kg/m)	Iz (cm ⁴ /m)	Iy (cm ⁴ /m)	Vy (cm)	Vpy (cm)	Wyinf (cm ³ /m)	Wysup (cm ³ /m)	Mrd (KNm/m)	Nrd (KN/m)
S250	0,80	8,87	10,04	6.832,52	788,69	9,25	15,82	85,26	49,85	12,46	221,69
	0,90	9,98	11,30	7.686,59	887,28	9,25	15,82	95,92	56,09	14,02	249,40
	1,00	11,08	12,56	8.540,66	985,87	9,25	15,82	106,58	62,32	15,58	277,11
	1,25	13,86	15,69	10.675,82	1.232,34	9,25	15,82	133,23	77,90	19,47	346,39
	1,50	16,63	18,83	12.810,99	1.478,81	9,25	15,82	159,87	93,48	23,37	415,67
S280	0,80	8,87	10,04	6.832,52	788,69	9,25	15,82	85,26	49,85	13,96	248,29
	0,90	9,98	11,30	7.686,59	887,28	9,25	15,82	95,92	56,09	15,70	279,33
	1,00	11,08	12,56	8.540,66	985,87	9,25	15,82	106,58	62,32	17,45	310,37
	1,25	13,86	15,69	10.675,82	1.232,34	9,25	15,82	133,23	77,90	21,81	387,96
	1,50	16,63	18,83	12.810,99	1.478,81	9,25	15,82	159,87	93,48	26,17	465,55
S320	0,80	12,79	10,04	7.988,18	1.016,14	10,20	14,85	99,67	68,42	15,95	283,76
	0,90	14,39	11,30	8.986,71	1.143,16	10,20	14,85	112,13	76,98	17,95	319,23
	1,00	15,98	12,56	9.985,24	1.270,18	10,20	14,85	124,59	85,53	19,94	354,70
	1,25	19,98	15,69	12.481,54	1.587,73	10,20	14,85	155,74	106,91	24,93	443,38
	1,50	23,98	18,83	14.977,86	1.905,28	10,20	14,85	186,88	128,29	29,91	532,06



APIMET

CUBIERTAS AUTOPORTANTES

Tlf: +34 924 207 569 · Fax: +34 924 263 554
Ctra. Madrid · Km. 397,97 · 06008 · Badajoz (España)

www.apimet.com

